



Dri-Pak Oxi Boost



Dri-Pak Ltd, Furnace Road, Ilkeston, Derbyshire, DE7 5EP

t: 0115 932 5165 | f: 0115 944 0297

e: sales@dripak.co.uk | w: www.dri-pak.co.uk

Registered in England No: 705398 VAT Registered No. 116219203

PACKAGING

Y: Yes | N: No | U: Unknown

Packaging Type	Packaging	Material	Supplier	Recyclable?	Recyclable Material?
Primary	Packet	Cardboard	UK	Y	N
Secondary	Tray	Corrugated Cardboard	UK	Y	N
Tertiary	Shrink Wrap	Plastic – Polythene	UK	Y	N

DIMENSIONS

 WIDTH 100mm	 HEIGHT 160mm	 DEPTH 40mm	 WEIGHT 600g
--	---	---	--

PACKING AND DISTRIBUTION

 PACK SIZE 6x600g	 CASES P/PALLET 38	 LAYERS P/PALLET 6	 CASE P/PALLET 228
---	--	--	--

PRODUCT

How to use

Machine Wash

- Add 2 heaped tablespoons of Oxi Boost to your usual powder detergent and follow the soft water dose. For heavy soiling or very hard water, use up to 4 heaped tablespoons.

Handwashing

- Use 1 to 2 heaped tablespoon, dissolved in 4 litres of warm water plus your standard detergent. Rinse after washing. tablespoons.

Pre-soak

- Use 1 to 2 heaped tablespoons, dissolved in 4 litres of warm water and leave clothes to soak for at least 30 mins, then wash as normal, following the machine wash instructions above.

Spot stain treatment

- Mix up a paste of Oxi Boost in warm water and apply directly to the stain. Leave for 10 mins prior to washing as per machine wash instructions above.

How it is promoted

- Tough on stains. For whites AND coloured clothing. Helps prevent limescale.

Warnings

- Causes serious eye damage.
- Keep out of reach of children.
- Keep cool.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Immediately call a POISON CENTER or doctor/physician. Wear eye/face protection.
- IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. If medical advice is needed, have product container or label at hand.
- Follow garment washing instructions. Check for colour fastness prior to use on an inconspicuous area. Do not use on wool, silk or leather.



Dri-Pak Ltd, Furnace Road, Ilkeston, Derbyshire, DE7 5EP
t: 0115 932 5165 | f: 0115 944 0297 | e: sales@dripak.co.uk | w: www.dri-pak.co.uk

Registered in England No: 705398 VAT Registered No. 116219203

Copyright © 2021 Dri-Pak Ltd All Rights Reserved

This product releases oxygen so do not

- Soak fabrics with metal fasteners or flame-resistant finishes.
- Expose pre-soaked garments to sources of direct heat or direct sunlight before washing or rinsing thoroughly.
- Leave solution in a sealed container once mixed.

INGREDIENTS

Chemical Name	Supplier	CAS No.	EC No.	Classification	Concentration
Sodium Carbonate Peroxyhydrate	East Lancashire Chemicals	15630-89-4	239-707-6	H272, H302, H318	<25%
Sodium Carbonate	East Lancashire Chemicals	497-19-8	207-838-8	H319	<15%
Alkyl Polyglucoside	East Lancashire Chemicals	68515-73-1	Polymer	H318	<5%



Dri-Pak Ltd, Furnace Road, Ilkeston, Derbyshire, DE7 5EP
t: 0115 932 5165 | f: 0115 944 0297 | e: sales@dripak.co.uk | w: www.dri-pak.co.uk
Registered in England No: 705398 VAT Registered No. 116219203

Copyright © 2021 Dri-Pak Ltd All Rights Reserved